



Alabama State Port Authority
Addendum to Specification Booklet

Project Name Automotive RO/RO Terminal – Site Demolition Package

Location Mobile, AL

Project # 10615 **TASK #** 2

Addendum #5

Date: January 23, 2019

Item	Description						
1	<p>The note on Drawing G2 regarding the gradation and size requirements for the recycled concrete aggregate (i.e., crushed concrete) is hereby modified to the following:</p> <p>C. The RCA materials shall meet the following gradation and size requirements:</p> <table border="1" data-bbox="289 716 1425 835"> <thead> <tr> <th data-bbox="289 716 857 751">SIEVE SIZE</th> <th data-bbox="857 716 1425 751">PERCENT BY WEIGHT PASSING</th> </tr> </thead> <tbody> <tr> <td data-bbox="289 751 857 793">2 INCH</td> <td data-bbox="857 751 1425 793">100</td> </tr> <tr> <td data-bbox="289 793 857 835">NO. 200</td> <td data-bbox="857 793 1425 835">0 TO 10</td> </tr> </tbody> </table> <p>The gradation requirements for material sizes between the 2-inch sieve and the No. 200 sieve are removed. All other provisions related to the recycled concrete aggregate materials remain effective.</p>	SIEVE SIZE	PERCENT BY WEIGHT PASSING	2 INCH	100	NO. 200	0 TO 10
SIEVE SIZE	PERCENT BY WEIGHT PASSING						
2 INCH	100						
NO. 200	0 TO 10						